

**Liste Liquidation GR2
Liquidations-Liste GR2
Liquidation-List GR2**

Valable jusqu'au 16.06.2008
Gültig bis 16.06.2008
Valid until 16.06.2008

Code Article Artikel-Code Item Code		Réf. GR2	Type Typ Type	Matériau Werkstoff Material	Hauteur Höhe Height	Epaisseur Stärke Thickness	Longueur Länge Length	Ø Bague Ø Ring Ø Ring
RM1S04201	GR2	2000	man	inox	0.60	0.105	200	8.5
RM1S04202	GR2	2000	man	n2	0.60	0.105	200	7.5
RM1S04227	GR2	2022	man	inox	0.70	0.070	180	5.5
RM1S04267	GR2	2057	man	inox	0.70	0.100	260	8.0
RA1S04274	GR2	2062-X	aut	n2	0.70	0.105	280	8.5
RM1S04332	GR2	2112	man	n2	0.70	0.190	520	16.0
RA1S04368	BEL	80D21GL	aut	n2	0.80	0.065	220	6.5
RM1S04389	GR2	2158	man	inox	0.80	0.080	240	7.0
RM1S04393	GR2	2161	man	inox	0.80	0.085	200	6.5
RM1S04424	GR2	2184	man	n2	0.80	0.100	300	9.0
RM1S04467	GR2	2222	man	inox	0.80	0.150	400	12.5
RM1S04535	GR2	2271	man	inox	0.90	0.075	220	6.5
RM1S04536	GR2	2271	man	n2	0.90	0.075	220	6.5
RM1S04537	GR2	2272	man	inox	0.90	0.075	240	7.0
RM1S04570	GR2	2289	man	n2	0.90	0.090	240	7.5
RM1S04577	GR2	2294	man	inox	0.90	0.095	260	8.0
RM1S04579	GR2	2295	man	inox	0.90	0.095	280	8.5
RM1S04584	GR2	2298	man	n2	0.90	0.100	260	8.0
RM1S04589	GR2	2300	man	inox	0.90	0.100	300	9.0
RA1S04684	BEL	95F24GL	aut	n2	0.95	0.075	240	7.0
RA1S13044	GR2	2379-1-X	aut	n2	0.95	0.125	440	11.0
RM1S04715	GR2	2391	man	inox	1.00	0.060	200	5.5
RM1S04744	GR2	2407	man	n2	1.00	0.075	220	6.5
RM1S04761	GR2	2413	man	inox	1.00	0.080	220	6.5
RM1S04823	GR2	2448	man	inox	1.00	0.105	280	8.5
RM1S04825	GR2	2449	man	inox	1.00	0.105	300	9.0
RM1S04831	GR2	2451	man	inox	1.00	0.105	340	9.5
RM1S04832	GR2	2451	man	n2	1.00	0.105	340	9.5
RM1S04840	GR2	2455	man	n2	1.00	0.110	320	9.5
RM1S04843	GR2	2457	man	inox	1.00	0.110	360	10.0
RM1S04851	GR2	2463	man	inox	1.00	0.115	320	9.5
RA1S04858	GR2	2464-X	aut	n2	1.00	0.115	340	10.0
RA1S04862	GR2	2465-X	aut	n2	1.00	0.115	360	11.0
RM1S04859	GR2	2465	man	inox	1.00	0.115	360	10.5
RM1S04865	GR2	2467	man	inox	1.00	0.120	300	9.5
RM1S04933	GR2	2525	man	inox	1.05	0.075	280	8.0
RS1S04937	GR2	2528-T	man	inox	1.05	0.080	240	7.0
RM1S04939	GR2	2529	man	inox	1.05	0.085	220	7.0
RM1S04940	GR2	2529	man	n2	1.05	0.085	220	7.0
RS1S04947	GR2	2532-T	man	inox	1.05	0.090	240	8.0
RS1S04948	GR2	2532-TR	man	inox	1.05	0.090	240	7.5
RA1S13047	BEL	105M36GL	aut	n2	1.05	0.105	360	10.0
RM1S13049	BEL	105M36	man	inox	1.05	0.105	360	10.0
RM1S04961	GR2	2535-1	man	inox	1.05	0.120	360	9.5
RM1S14252	BEL	105R42	man	n2	1.05	0.125	420	10.5
RM1S04985	GR2	2550	man	inox	1.10	0.060	200	5.5
RM1S05008	GR2	2564	man	n2	1.10	0.070	220	6.0
RA1S13238	GR2	2581-X	aut	n2	1.10	0.080	280	7.5
RM1S05041	GR2	2586	man	inox	1.10	0.085	240	7.0
RM1S05045	GR2	2587	man	inox	1.10	0.085	260	7.5
RS1S05064	GR2	2594-T	man	inox	1.10	0.090	280	8.5
RA1S05090	GR2	2605-X	aut	n2	1.10	0.095	300	9.0
RM1S05101	GR2	2611	man	inox	1.10	0.100	240	8.0
RA1S05120	GR2	2614-X	aut	n2	1.10	0.100	300	9.5
RM1S05115	GR2	2614	man	inox	1.10	0.100	300	9.0
RM1S05121	GR2	2615	man	inox	1.10	0.100	320	9.0
RS1S05122	GR2	2615-TR	man	inox	1.10	0.100	320	9.0
RA1S05158	GR2	2628-X	aut	n2	1.10	0.105	360	11.0
RM1S05169	GR2	2635	man	inox	1.10	0.110	320	9.5
RM1S05171	GR2	2636	man	inox	1.10	0.110	340	10.0
RA1S05190	GR2	2644-X	aut	n2	1.10	0.115	320	10.0
RM1S05203	GR2	2652	man	inox	1.10	0.120	320	9.5

**Liste Liquidation GR2
Liquidations-Liste GR2
Liquidation-List GR2**

Valable jusqu'au 16.06.2008
Gültig bis 16.06.2008
Valid until 16.06.2008

Code Article Artikel-Code Item Code		Réf. GR2	Type Typ Type	Matériau Werkstoff Material	Hauteur Höhe Height	Epaisseur Stärke Thickness	Longueur Länge Length	Ø Bague Ø Ring Ø Ring
RM1S05204	GR2	2652	man	n2	1.10	0.120	320	9.5
RS1S05224	GR2	2663-T	man	n2	1.10	0.125	320	11.0
RS1S13508	GR2	2673-DB	man	inox	1.10	0.130	380	12.0
RS1S05250	GR2	2679-DB	man	inox	1.10	0.135	320	11.0
RM1S05276	GR2	2695	man	n2	1.10	0.150	340	12.0
RM1S05302	GR2	2725	man	n2	1.10	0.185	400	14.0
RM1S05320	GR2	2743	man	n2	1.10	0.195	540	16.5
RA1S13492	GR2	2771-X	aut	n2	1.15	0.070	220	6.5
RS1S05367	GR2	2779-DBH	man	inox	1.15	0.075	280	7.5
RS1S05368	GR2	2779-T	man	inox	1.15	0.075	280	7.5
RM1S05375	GR2	2782	man	inox	1.15	0.080	240	7.0
RM1S05379	GR2	2783	man	inox	1.15	0.080	260	7.5
RS1S05402	GR2	2791-DBH	man	n2	1.15	0.085	260	7.5
RA1S05414	GR2	2797-X	aut	n2	1.15	0.090	260	8.5
RM1S05427	GR2	2805-1	man	inox	1.15	0.110	320	9.5
RA1S05434	GR2	2806-1-X	aut	n2	1.15	0.115	360	10.0
RM1S05454	GR2	2835	man	n2	1.20	0.055	160	5.0
RM1S05461	GR2	2840	man	inox	1.20	0.060	180	5.5
RS1S05463	GR2	2841-TR	man	inox	1.20	0.060	200	5.5
RM1S05471	GR2	2846	man	inox	1.20	0.065	180	5.5
RM1S05487	GR2	2855	man	inox	1.20	0.070	220	6.0
RM1S05489	GR2	2856	man	inox	1.20	0.070	240	6.5
RM1S05491	GR2	2857	man	inox	1.20	0.070	260	7.0
RM1S05493	GR2	2859	man	inox	1.20	0.075	180	6.0
RM1S05500	GR2	2861	man	n2	1.20	0.075	220	6.5
RM1S05507	GR2	2864	man	inox	1.20	0.075	280	7.5
RM1S05511	GR2	2868	man	inox	1.20	0.080	200	6.5
RS1S13247	GR2	2871-DB	man	inox	1.20	0.080	260	7.5
RM1S05537	GR2	2885	man	inox	1.20	0.085	240	7.0
RM1S05576	GR2	2901	man	n2	1.20	0.095	260	8.0
RA1S05618	GR2	2922-X	aut	n2	1.20	0.100	340	10.0
RM1S05637	GR2	2936	man	inox	1.20	0.105	320	9.5
RA1S05644	GR2	2937-X	aut	n2	1.20	0.105	340	10.0
RM1S05654	GR2	2944	man	n2	1.20	0.105	480	11.5
RM1S05657	GR3	2946	man	inox	1.20	0.110	240	8.0
RA1S05670	GR2	2949-X	aut	n2	1.20	0.110	300	9.5
RM1S05667	GR2	2949	man	inox	1.20	0.110	300	9.0
RM1S05673	GR2	2950	man	n2	1.20	0.110	320	9.5
RA1S13090	BEL	120O32GL	aut	n2	1.20	0.115	320	10.0
RM1S05698	GR2	2963	man	n2	1.20	0.115	340	10.0
RA1S05706	GR2	2966-X	aut	n2	1.20	0.115	400	11.5
RM1S05711	GR2	2970	man	inox	1.20	0.120	260	9.0
RA1S13827	GR2	2973-X	aut	n2	1.20	0.120	320	9.5
RA1S05724	GR2	2975-X	aut	n2	1.20	0.120	360	10.5
RM1S05721	GR2	2975	man	inox	1.20	0.120	360	10.5
RS1S05752	GR2	2986-T	man	inox	1.20	0.130	260	9.5
RM1S05858	GR2	3054	man	n2	1.20	0.190	440	15.0
RM1S05891	GR2	3078	man	inox	1.25	0.070	200	6.0
RM1S05897	GR2	3081	man	inox	1.25	0.080	220	7.0
RS1S05922	GR2	3095-DBH	man	inox	1.25	0.090	240	8.0
RA1S05968	GR2	3120-X	aut	n2	1.25	0.100	500	12.0
RM1S05979	GR2	3125	man	inox	1.25	0.105	300	9.0
RM1S05981	GR2	3126	man	inox	1.25	0.105	320	9.5
RA1S06008	BEL	125N39GL	aut	n2	1.25	0.110	400	10.5
RM1S06025	GR2	3142	man	inox	1.25	0.115	360	10.5
RA1S06048	BEL	125P33GL	aut	n2	1.25	0.120	340	10.5
RM1S06045	BEL	125P33	man	inox	1.25	0.120	340	10.5
RA1S06054	GR2	3149-X	aut	n2	1.25	0.125	420	12.0
RM1S06059	BEL	125S40	man	inox	1.25	0.130	400	11.0
RM1S06115	GR2	3170	man	inox	1.30	0.060	160	5.0
RM1S06117	GR2	3171	man	inox	1.30	0.060	180	5.5
RM1S06119	GR2	3172	man	inox	1.30	0.060	200	5.5

**Liste Liquidation GR2
Liquidations-Liste GR2
Liquidation-List GR2**

Valable jusqu'au 16.06.2008
Gültig bis 16.06.2008
Valid until 16.06.2008

Code Article Artikel-Code Item Code		Réf. GR2	Type Typ Type	Matériau Werkstoff Material	Hauteur Höhe Height	Epaisseur Stärke Thickness	Longueur Länge Length	Ø Bague Ø Ring Ø Ring
RM1S06137	GR2	3179	man	inox	1.30	0.065	220	6.0
RS1S06138	GR2	3179-T	man	inox	1.30	0.065	220	6.0
RM1S06155	GR2	3185	man	inox	1.30	0.070	200	6.0
RM1S06162	GR2	3186	man	n2	1.30	0.070	220	6.0
RA1S06178	GR2	3190-X	aut	n2	1.30	0.070	300	7.0
RM1S06187	GR2	3193	man	inox	1.30	0.075	220	6.5
RA1S06208	GR2	3197-X	aut	n2	1.30	0.075	300	7.0
RA1S06218	GR2	3201-X	aut	n2	1.30	0.080	220	7.0
RS1S06220	GR2	3202-DBH	man	inox	1.30	0.080	240	7.0
RM1S06311	GR2	3237	man	inox	1.30	0.095	320	9.0
RM1S06333	GR2	3250	man	inox	1.30	0.100	240	8.0
RM1S06353	GR2	3255	man	inox	1.30	0.100	320	9.0
RM1S06365	GR2	3257	man	inox	1.30	0.100	360	9.5
RS1S06390	GR2	3268-DBH	man	inox	1.30	0.105	300	9.5
RS1S06431	GR2	3283-DBH	man	inox	1.30	0.110	300	9.5
RS1S06432	GR2	3283-MB	man	inox	1.30	0.110	300	9.5
RM1S06441	GR2	3284	man	n2	1.30	0.110	320	9.5
RS1S06442	GR2	3284-DBH	man	n2	1.30	0.110	320	10.0
RM1S00857	GR2	3300-1	man	n2	1.30	0.115	420	10.5
RM1S06484	GR2	3301	man	n2	1.30	0.115	440	12.0
RM1S06497	GR2	3312	man	inox	1.30	0.120	340	10.5
RM1S06499	GR2	3313	man	inox	1.30	0.120	360	10.5
RA1S06510	GR2	3318-X	aut	n2	1.30	0.120	460	11.0
RM1S06549	GR2	3342	man	inox	1.30	0.130	400	12.0
RM1S06550	GR2	3342	man	n2	1.30	0.130	400	12.0
RM1S06551	GR2	3343	man	inox	1.30	0.130	420	12.0
RM1S06561	GR2	3357	man	inox	1.30	0.140	360	11.5
RM1S06563	GR2	3357	man	n2	1.30	0.140	360	11.5
RM1S06564	GR2	3357-2	man	n2	1.30	0.140	360	11.5
RM1S06571	GR2	3365	man	inox	1.30	0.145	340	12.0
RM1S06592	GR2	3374	man	n2	1.30	0.150	420	12.5
RM1S06607	BEL	130AA40	man	inox	1.30	0.160	400	13.0
RM1S06609	GR2	3382	man	inox	1.30	0.160	420	13.5
RS1S06637	GR2	3403-TR	man	inox	1.30	0.175	480	14.5
RM1S06729	BEL	135D21	man	inox	1.35	0.065	220	5.5
RM1S06736	BEL	1.35E+23	man	n2	1.35	0.070	200	6.0
RM1S06745	BEL	135F21	man	inox	1.35	0.075	220	6.5
RS1S06893	GR2	3517-T	man	inox	1.35	0.135	260	10.0
RM1S13201	BEL	135U21	man	inox	1.35	0.140	220	10.0
RM1S06903	BEL	135U40	man	inox	1.35	0.140	400	12.0
RM1S06907	GR2	3530	man	inox	1.35	0.145	380	12.0
RM1S06911	BEL	135W40	man	inox	1.35	0.150	400	12.5
RM1S06917	BEL	135AA40	man	inox	1.35	0.160	400	13.0
RM1S06949	GR2	3550	man	inox	1.40	0.050	160	5.0
RM1S06950	GR2	3550	man	n2	1.40	0.050	160	5.0
RM1S06959	GR2	3559	man	inox	1.40	0.055	280	5.0
RM1S06961	GR2	3560	man	inox	1.40	0.060	180	5.5
RM1S06964	GR2	3561	man	n2	1.40	0.060	200	5.5
RM1S06965	GR2	3562	man	inox	1.40	0.060	220	6.0
RM1S06966	GR2	3562	man	n2	1.40	0.060	220	6.0
RM1S06969	GR2	3563	man	n2	1.40	0.060	240	6.0
RS1S06974	GR2	3567-MB	man	inox	1.40	0.065	200	6.0
RM1S06978	GR2	3568	man	n2	1.40	0.065	220	6.0
RM1S06979	GR2	3569	man	inox	1.40	0.065	240	6.5
RM1S06995	GR2	3575	man	inox	1.40	0.070	200	5.5
RM1S07029	GR2	3596	man	inox	1.40	0.075	360	8.0
RM1S07047	GR2	3613	man	inox	1.40	0.085	220	7.0
RA1S13037	GR2	3627-X	aut	n2	1.40	0.090	260	8.0
RA1S07098	GR2	3629-X	aut	n2	1.40	0.090	300	8.5
RS1S07102	BEL	140J35AT	man	inox	1.40	0.090	360	9.0
RM1S07121	GR2	3651	man	inox	1.40	0.095	320	9.0
RM1S07159	GR2	3666	man	n2	1.40	0.100	340	9.5

**Liste Liquidation GR2
Liquidations-Liste GR2
Liquidation-List GR2**

Valable jusqu'au 16.06.2008
Gültig bis 16.06.2008
Valid until 16.06.2008

Code Article Artikel-Code Item Code		Réf. GR2	Type Typ Type	Matériau Werkstoff Material	Hauteur Höhe Height	Epaisseur Stärke Thickness	Longueur Länge Length	Ø Bague Ø Ring Ø Ring
RA1S13077	GR2	3676-X	aut	n2	1.40	0.100	560	11.2
RM1S07179	GR2	3680	man	inox	1.40	0.105	300	9.0
RM1S07210	GR2	3698	man	n2	1.40	0.110	300	9.0
RM1S07216	GR2	3699	man	n2	1.40	0.110	320	9.5
RM1S07273	GR2	3729	man	inox	1.40	0.120	340	10.5
RM1S07348	GR2	3770	man	n2	1.40	0.140	400	12.0
RA1S07528	BEL	145G25GL	aut	n2	1.45	0.080	260	7.5
RM1S07525	GR2	3923	man	inox	1.45	0.080	260	7.5
RM1S07543	GR2	3931	man	inox	1.45	0.085	260	7.5
RA1S07718	GR2	4006-X	aut	n2	1.45	0.125	400	11.0
RS1S07720	GR2	4007-D	man	n2	1.45	0.125	440	10.5
RM1S07769	BEL	145EE76	man	inox	1.45	0.180	760	18.5
RM1S07779	BEL	145NN42	man	inox	1.45	0.220	420	15.5
RM1S07819	GR2	4049	man	inox	1.50	0.065	220	6.0
RM1S07875	GR2	4077	man	inox	1.50	0.080	260	7.5
RM1S07917	GR2	4100	man	inox	1.50	0.090	280	8.0
RM1S07927	GR2	4103	man	inox	1.50	0.090	340	8.5
RM1S07987	GR2	4122	man	inox	1.50	0.100	300	9.0
RM1S07990	GR2	4122	man	n2	1.50	0.100	300	9.0
RM1S08015	GR2	4133	man	inox	1.50	0.105	280	9.0
RM1S08044	GR2	4149	man	n2	1.50	0.110	300	9.0
RM1S08045	GR2	4150	man	inox	1.50	0.110	320	9.5
RM1S08047	GR2	4150	man	n2	1.50	0.110	320	9.5
RM1S08092	GR2	4173	man	n2	1.50	0.120	260	9.0
RM1S08101	GR2	4177	man	inox	1.50	0.120	340	10.5
RM1S08110	GR2	4178	man	n2	1.50	0.120	360	10.5
RM1S08137	GR2	4196	man	n2	1.50	0.130	320	10.5
RM1S08157	GR2	4208	man	inox	1.50	0.135	360	11.5
RM1S08167	GR2	4227	man	inox	1.50	0.140	320	11.5
RM1S08172	GR2	4229	man	n2	1.50	0.140	360	11.5
RM1S08173	GR2	4230	man	inox	1.50	0.140	380	12.0
RM1S08175	GR2	4231	man	inox	1.50	0.140	400	12.0
RM1S08183	GR2	4234	man	inox	1.50	0.140	500	14.5
RM1S08215	GR2	4257	man	inox	1.50	0.150	400	12.5
RM1S08239	GR2	4279	man	inox	1.50	0.160	400	13.0
RM1S08273	GR2	4296	man	inox	1.50	0.170	440	14.0
RS1S08274	GR2	4296-MB	man	inox	1.50	0.170	440	14.0
RM1S08293	GR2	4307	man	inox	1.50	0.175	440	14.5
RM1S08294	GR2	4307	man	n2	1.50	0.175	440	14.5
RM1S08313	GR2	4314	man	inox	1.50	0.180	460	14.5
RM1S08341	GR2	4332	man	inox	1.50	0.190	480	15.0
RM1S08390	GR2	4369	man	n2	1.50	0.210	560	17.0
RM1S08465	GR2	4394	man	inox	1.55	0.105	360	10.5
RS1S08467	BEL	155M38AT	man	inox	1.55	0.105	380	10.5
RM1S08483	BEL	155S46	man	inox	1.55	0.130	460	12.5
RM1S08517	BEL	155EE48	man	inox	1.55	0.180	480	15.0
RM1S08584	GR2	4426	man	n2	1.60	0.070	200	6.0
RM1S08613	GR2	4444	man	n2	1.60	0.080	220	6.5
RM1S08621	GR2	4447	man	inox	1.60	0.080	280	7.5
RM1S08625	GR2	4449	man	inox	1.60	0.080	320	8.5
RM1S08629	GR2	4454	man	inox	1.60	0.085	240	7.0
RS1S08690	GR2	4479-T	man	inox	1.60	0.095	360	9.5
RM1S08699	GR2	4485	man	inox	1.60	0.100	280	8.5
RM1S08703	GR2	4486	man	inox	1.60	0.100	300	9.0
RM1S08705	GR2	4486	man	n2	1.60	0.100	300	9.0
RM1S08729	GR2	4502	man	inox	1.60	0.105	280	8.5
RM1S08731	GR2	4503	man	inox	1.60	0.105	300	9.0
RS1S08742	GR2	4506-DB	man	inox	1.60	0.105	360	9.5
RM1S08770	GR2	4519	man	n2	1.60	0.110	400	10.5
RM1S08795	BEL	160P24	man	inox	1.60	0.120	240	9.0
RM1S08807	GR2	4539	man	n2	1.60	0.120	360	10.5
RM1S08821	GR2	4552	man	inox	1.60	0.125	340	10.5

**Liste Liquidation GR2
Liquidations-Liste GR2
Liquidation-List GR2**

Valable jusqu'au 16.06.2008
Gültig bis 16.06.2008
Valid until 16.06.2008

Code Article Artikel-Code Item Code		Réf. GR2	Type Typ Type	Matériau Werkstoff Material	Hauteur Höhe Height	Epaisseur Stärke Thickness	Longueur Länge Length	Ø Bague Ø Ring Ø Ring
RM1S08857	GR2	4568	man	inox	1.60	0.130	420	12.0
RM1S08860	GR2	4568	man	n2	1.60	0.130	420	12.0
RM1S08873	BEL	160T40	man	inox	1.60	0.135	400	12.0
RM1S08875	GR2	4580	man	inox	1.60	0.135	420	12.5
RM1S08916	GR2	4609	man	n2	1.60	0.150	380	12.0
RM1S08920	GR2	4611	man	n2	1.60	0.150	420	12.5
RM1S08921	GR2	4612	man	inox	1.60	0.150	460	13.0
RM1S09024	GR2	4681	man	n2	1.60	0.185	580	16.5
RM1S09119	GR2	4744	man	inox	1.65	0.105	300	9.0
RM1S09245	GR2	4856	man	inox	1.70	0.090	340	9.5
RM1S09317	GR2	4900	man	inox	1.70	0.105	400	11.0
RM1S09333	BEL	170N40	man	inox	1.70	0.110	400	11.0
RS1S09400	GR2	4960-TR	man	inox	1.70	0.130	380	11.5
RM1S09420	GR2	4969	man	n2	1.70	0.135	360	11.5
RM1S09427	GR2	4974	man	inox	1.70	0.140	360	11.5
RM1S09453	GR2	5006	man	inox	1.70	0.150	380	12.0
RS1S09492	GR2	5032-TR	man	inox	1.70	0.160	480	15.0
RM1S09551	GR2	5070	man	inox	1.70	0.180	500	15.0
RM1S09598	GR2	5107	man	n2	1.70	0.200	440	15.0
RM1S09652	GR2	5148	man	n2	1.70	0.240	560	18.0
RM1S09791	GR2	5258	man	inox	1.80	0.100	400	11.0
RM1S09847	GR2	5295	man	inox	1.80	0.120	340	10.5
RM1S09885	GR2	5323	man	inox	1.80	0.140	360	11.5
RM1S09958	GR2	5370	man	n2	1.80	0.170	460	14.0
RM1S10015	GR2	5403	man	inox	1.80	0.190	480	15.0
RM1S10017	GR2	5404	man	inox	1.80	0.190	500	15.5
RM1S10035	GR2	5415	man	inox	1.80	0.200	460	16.0
RM1S10038	GR2	5418	man	n2	1.80	0.200	520	16.0
RM1S10059	BEL	180LL48	man	inox	1.80	0.210	480	16.5
RM1S10061	GR2	5432	man	inox	1.80	0.210	500	17.0
RM1S10079	GR2	5440	man	inox	1.80	0.220	480	17.0
RM1S10081	GR2	5442	man	inox	1.80	0.220	520	17.0
RM1S10223	GR2	5558	man	inox	1.90	0.135	340	11.0
RM1S10321	GR2	5618	man	inox	1.90	0.180	460	14.5
RM1S10327	GR2	5620	man	inox	1.90	0.180	500	15.0
RM1S10353	GR2	5643	man	inox	1.90	0.190	480	15.0
RM1S10357	GR2	5644	man	inox	1.90	0.190	500	15.5
RM1S10360	GR2	5644	man	n2	1.90	0.190	500	15.5
RS1S10369	GR2	5647-T	man	n2	1.90	0.190	560	17.0
RM1S10381	GR2	5660	man	inox	1.90	0.200	480	16.5
RM1S10385	GR2	5662	man	inox	1.90	0.200	520	16.0
RM1S10403	BEL	190LL48	man	inox	1.90	0.210	480	16.5
RM1S10405	GR2	5675	man	inox	1.90	0.210	500	16.5
RM1S10409	GR2	5676	man	inox	1.90	0.210	520	16.5
RM1S10410	GR2	5676	man	n2	1.90	0.210	520	16.5
RM1S10442	GR2	5699	man	n2	1.90	0.230	500	17.0
RM1S10473	GR2	5714	man	inox	2.00	0.075	400	9.0
RM1S10597	GR2	5807	man	inox	2.00	0.140	420	12.5
RM1S10613	GR2	5818	man	inox	2.00	0.150	400	12.5
RS1S10664	GR2	5853-T	man	inox	2.00	0.170	460	15.0
RS1S10678	GR2	5859-TB	man	inox	2.00	0.180	460	15.0
RM1S10711	BEL	200GG45	man	inox	2.00	0.190	460	14.5
RM1S10713	GR2	5884	man	inox	2.00	0.190	480	15.0
RM1S10717	GR2	5885	man	inox	2.00	0.190	500	15.5
RM1S10719	GR2	5885	man	n2	2.00	0.190	500	15.5
RM1S10747	GR2	5902	man	inox	2.00	0.200	460	15.5
RM1S10755	GR2	5905	man	n2	2.00	0.200	520	16.0
RM1S10774	GR2	5918	man	n2	2.00	0.210	480	16.5
RS1S10929	GR2	6025-TR	man	inox	2.10	0.150	480	15.0
RS1S10930	GR2	6025-TR	man	n2	2.10	0.150	480	15.0
RM1S10945	GR2	6038	man	n2	2.10	0.160	480	15.0
RM1S10950	GR2	6041	man	n2	2.10	0.170	380	13.5

**Liste Liquidation GR2
Liquidations-Liste GR2
Liquidation-List GR2**

Valable jusqu'au 16.06.2008
Gültig bis 16.06.2008
Valid until 16.06.2008

Code Article Artikel-Code Item Code		Réf. GR2	Type Typ Type	Matériau Werkstoff Material	Hauteur Höhe Height	Epaisseur Stärke Thickness	Longueur Länge Length	Ø Bague Ø Ring Ø Ring
RM1S10959	GR2	6046	man	inox	2.10	0.170	500	15.0
RM1S10960	GR2	6046	man	n2	2.10	0.170	500	15.0
RM1S10978	GR2	6058	man	n2	2.10	0.180	440	14.5
RM1S10979	GR2	6059	man	inox	2.10	0.180	460	14.5
RM1S10992	GR2	6068	man	n2	2.10	0.185	500	15.5
RM1S11136	GR2	6182	man	n2	2.20	0.140	360	11.5
RM1S11249	GR2	6266	man	inox	2.20	0.190	500	15.5
RM1S11264	GR2	6270	man	n2	2.20	0.190	580	17.0
RM1S11281	GR2	6278	man	inox	2.20	0.200	500	16.0
RM1S11285	GR2	6279	man	inox	2.20	0.200	520	16.0
RM1S11383	GR2	6365	man	inox	2.30	0.150	380	12.0
RS1S11406	BEL	230AA49BA	man	inox	2.30	0.160	500	15.0
RM1S11456	GR2	6416	man	n2	2.30	0.190	500	15.5
RM1S11469	GR2	6420	man	n2	2.30	0.190	580	17.0
RM1S11491	GR2	6434	man	n2	2.30	0.200	520	16.0
RM1S11496	GR2	6435	man	n2	2.30	0.200	540	16.5
RS1S11614	BEL	240EE50AT	man	inox	2.40	0.180	500	16.0
RM1S11645	GR2	6562	man	inox	2.40	0.190	520	16.0
RS1S11646	BEL	240GG52BA	man	inox	2.40	0.190	520	16.5
RM1S11665	GR2	6573	man	inox	2.40	0.200	460	15.5
RM1S11671	GR2	6577	man	inox	2.40	0.200	540	16.5
RM1S11686	GR2	6581	man	n2	2.40	0.210	520	16.5
RM1S11771	GR2	6669	man	inox	2.50	0.180	500	15.0
RM1S11801	GR2	6686	man	n2	2.50	0.190	500	15.5
RM1S11829	GR2	6704	man	n2	2.50	0.200	520	16.0
RS1S11850	GR2	6713-T	man	inox	2.50	0.210	520	17.0
RM1S11863	GR2	6718	man	inox	2.50	0.220	520	17.0
RM1S11876	GR2	6732	man	n2	2.50	0.230	640	20.0
RS1S11933	GR2	6781-DBH	man	inox	2.60	0.185	540	16.0
RS1S11982	GR2	6801-DBH	man	inox	2.60	0.200	540	17.0
RM1S11997	GR2	6804	man	n2	2.60	0.200	600	18.0
RS1S12001	GR2	6806-DBH	man	inox	2.60	0.205	540	17.0
RS1S12017	GR2	6814-TR	man	inox	2.60	0.210	800	21.0
RM1S12024	GR2	6821	man	n2	2.60	0.220	520	17.0
RM1S12027	GR2	6826	man	inox	2.60	0.230	640	20.0
RM1S12058	GR2	6862	man	n2	2.70	0.170	480	14.5
RS1S12079	GR2	6871-T	man	inox	2.70	0.180	540	16.0
RS1S12211	GR2	6974-T	man	inox	2.80	0.180	540	17.0
RM1S12217	GR2	6976	man	inox	2.80	0.180	600	17.0
RS1S12235	GR2	6988-T	man	inox	2.80	0.190	540	17.0
RS1S12252	GR2	6991-TR	man	n2	2.80	0.190	640	17.0
RM1S12275	BEL	280LL50	man	inox	2.80	0.210	500	17.0
RS1S12279	GR2	7007-T	man	inox	2.80	0.210	540	17.0
RM1S12295	GR2	7019	man	inox	2.80	0.230	640	20.0
RM1S12299	BEL	280SS50	man	inox	2.80	0.240	500	18.0
RS1S12313	BEL	280ZZ181TR	man	inox	2.80	0.270	1'820	34.0
RM1S12371	GR2	7087	man	inox	2.90	0.190	520	16.0
RS1S12374	GR2	7089-DBH	man	inox	2.90	0.190	600	18.0
RS1S12418	GR2	7112-T	man	inox	2.90	0.210	540	17.0
RS1S12422	GR2	7113-T	man	inox	2.90	0.210	560	17.0
RM1S12427	GR2	7118	man	inox	2.90	0.210	800	21.0
RS1S12434	GR2	7121-T	man	inox	2.90	0.220	540	17.0
RS1S12435	GR2	7121-1-DBH	man	n2	2.90	0.220	540	18.0
RS1S12448	GR2	7124-T	man	inox	2.90	0.225	540	17.0
RS1S12451	GR2	7125-DBH	man	inox	2.90	0.230	540	18.0
RS1S12452	GR2	7125-T	man	inox	2.90	0.230	540	18.0
RS1S12491	GR2	7156-DB	man	inox	3.00	0.155	600	15.5
RS1S12517	BEL	300EE64BA	man	inox	3.00	0.180	640	18.0
RS1S12559	GR2	7208-T	man	inox	3.00	0.220	540	17.0
RS1S12567	GR2	7217-T	man	inox	3.00	0.225	520	17.0
RS1S13432	BEL	33-19TB54	man	inox	3.30	0.190	540	17.0